

# Automatic 3D CAD models reconstruction from 2D orthographic drawings

Chao Zhang <sup>1</sup> Romain Piquié <sup>2</sup> Arnaud Polette <sup>1</sup> Gregorio Carasi <sup>3</sup> Henri De Charnace <sup>3</sup> Jean-Philippe Pernot <sup>1</sup>

<sup>1</sup>Arts et Métiers Institute of Technology, LISPEN, HESAM Université

<sup>2</sup>Grenoble INP, G-SCOP, Université Grenoble Alpes

<sup>3</sup>Cognitive Design Systems

---

## Résumé

*This paper introduces a two-stage approach that automatically generates 3D CAD models from 2D orthographic drawings. First, a pattern-matching algorithm is proposed to reconstruct a network of 3D edges by matching 2D edge features extracted from the multiple views of the 2D drawing. Second, starting from the resulting 3D wireframe and generated graph, a loop detection algorithm allows identifying possible loops of faces. Then, a clustering algorithm recognizes the faces from the set of detected loops. The reconstruction ends while trimming and stitching the faces to get a watertight ready-to-use 3D CAD model. This approach has been validated on a public dataset composed of several thousands of 3D objects, and it achieved 99.59% of well-reconstructed models in F-score.*

---

**Mots-clés :** Multiple-view 2D engineering drawings, CAD model reconstruction, wireframe and surface modeling, pattern matching, clustering algorithm.